

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims** (deleted text being struck through and added text being underlined):

1           1. (Previously presented) A receptacle system for powering  
2   an electronic device, the system comprising:  
3           a receptacle having an interior compartment;  
4           interfacing means for interfacing with the electronic device;  
5           processing means on the receptacle for processing signals  
6   from the electronic device received through the interfacing means;  
7           powering means mounted on the receptacle for powering the  
8   electronic device; and  
9           illuminating means for illuminating the interior compartment  
10   of the receptacle.

1           2. (Original) The system of claim 1 wherein the powering  
2   means comprises a rechargeable battery mounted on the receptacle.

1           3. (Original) The system of claim 1 wherein the powering  
2   means comprises a battery charger mounted on the receptacle for  
3   connecting to the electronic device through the interfacing means  
4   for charging a battery of the electronic device.

1           4. (Original) The system of claim 1 wherein the interfacing  
2   means comprises a power charging plug removably connectable to  
3   the electronic device.

5. (Cancelled)

1           6. (Original) The system of claim 1 additionally comprising  
2 alarm means for producing an alarm upon triggering of the alarm  
3 means.

1           7. (Original) The system of claim 6 wherein the alarm means  
2 comprises an audible alarm apparatus that emits an audible sound  
3 upon triggering of the alarm apparatus.

1           8. (Original) The system of claim 6 wherein the alarm means  
2 comprises a silent alarm apparatus that does not emit an audible  
3 sound when triggered.

1           9. (Original) The system of claim 6 wherein the alarm means  
2 comprises means for transmitting environmental sounds detected  
3 about the receptacle over a telecommunication device when the  
4 alarm means is triggered.

1           10. (Original) The system of claim 1 additionally  
2 comprising a microphone mounted on the receptacle for detecting  
3 sound about the receptacle.

1           11. (Original) The system of claim 1 additionally comprising  
2 a display screen mounted on the receptacle.

1           12. (Original) The system of claim 11 wherein the display  
2 screen is located on an exterior of the receptacle, the display screen  
3 being operably connected to the processing means, the display  
4 screen being operably connectable to the electronic device through  
5 the interfacing means.

1           13. (Original) The system of claim 1 additionally comprising  
2 an antenna mounted on the receptacle, the antenna being operably  
3 couplable to the electronic device through the interfacing means.

1           14. (Original) The system of claim 1 additionally comprising  
2 a global positioning satellite (GPS) receiving system mounted on  
3 the receptacle and being operably connected to the processing  
4 means.

1           15. (Original) The system of claim 1 additionally comprising  
2 telecommunication means mounted on the receptacle and being operably  
3 connected to the processing means.

1           16. (Original) The system of claim 1 additionally comprising  
2 a vibrator mounted on the receptacle, the vibrator being operably  
3 connectable to the electronic device through the interfacing means  
4 such that the vibrator vibrates when a call is being received by the  
5 electronic device.

1           17. (Original) The system of claim 16 wherein the receptacle  
2 includes a carrying strap, the vibrator being located adjacent to the  
3 carrying strap.

1           18. (Original) The system of claim 2 additionally comprising  
2 a charging base for inductively charging the rechargeable battery of  
3 the powering means when the receptacle is positioned adjacent to  
4 the charging base.

1           19. (Currently Amended) ~~The~~ A receptacle system of claim 1  
2 for powering an electronic device, the system comprising:  
3           a receptacle having an interior compartment;  
4           interfacing means for interfacing with the electronic device;  
5           processing means on the receptacle for processing signals  
6 from the electronic device received through the interfacing means;  
7           powering means mounted on the receptacle for powering the  
8 electronic device; and  
9           illuminating means for illuminating the interior compartment  
10 of the receptacle;

11           wherein the powering means comprises a rechargeable battery  
12 mounted on the receptacle;

13           wherein the powering means comprises a battery charger  
14 mounted on the receptacle for connecting to the electronic device  
15 through the interfacing means for charging a battery of the  
16 electronic device;

17           wherein the interfacing means comprises a power charging  
18 plug removably connectable to the electronic device;

19           alarm means for producing an alarm upon triggering of the  
20 alarm means, the alarm means comprising an audible alarm  
21 apparatus that emits an audible sound upon triggering of the alarm  
22 apparatus, the alarm means further comprising a silent alarm  
23 apparatus that does not emit an audible sound when triggered, the  
24 alarm means comprising means for transmitting environmental  
25 sounds detected about the receptacle over a telecommunication  
26 device when the alarm means is triggered;

27           a microphone being mounted on the receptacle for detecting  
28 sound about the receptacle;

29           a display screen being mounted on the receptacle, the display  
30 screen being located on an exterior of the receptacle, the display

31 screen being operably connected to the processing means, the  
32 display screen being operably connectable to the electronic device  
33 through the interfacing means;

34 an antenna being mounted on the receptacle, the antenna being  
35 operably couplable to the electronic device through the interfacing  
36 means;

37 a global positioning satellite (GPS) receiving system being  
38 mounted on the receptacle and being operably connected to the  
39 processing means;

40 telecommunication means mounted on the receptacle and being  
41 operably connected to the processing means;

42 a vibrator being mounted on the receptacle, the vibrator being  
43 operably connectable to the electronic device through the  
44 interfacing means such that the vibrator vibrates when a call is  
45 being received by the electronic device;

46 wherein the receptacle includes a carrying strap, the vibrator  
47 being located adjacent to the carrying strap; and

48 a charging base for inductively charging the rechargeable  
49 battery of the powering means when the receptacle is positioned  
50 adjacent to the charging base.

20. (Cancelled)

1           21. (Previously presented) A receptacle system for powering  
2 an electronic device, the system comprising:  
3           a receptacle having an interior compartment;  
4           interfacing means for interfacing with the electronic device;  
5           processing means on the receptacle for processing signals  
6 from the electronic device received through the interfacing means;  
7           powering means mounted on the receptacle for powering the  
8 electronic device;  
9           transmitting means for transmitting environmental sounds  
10 detected about an exterior of the receptacle over a  
11 telecommunication device when a user of the receptacle triggers the  
12 transmitting means.